

Contribution ID: 909 Contribution code: MOPL100

Type: Poster Presentation

Beam loading compensation of traveling wave LINAC to a multi-bunch pulse with gaps

Monday 8 May 2023 16:30 (2 hours)

In the electron-driven ILC positron source, the positron is generated a multi-bunch format with gaps, because it corresponds to a part of the damping ring fill pattern. The beam loading is compensated by amplitude modulation on the input RF (*). In this article, we derive the exact solution for the compensation with gaps. In addition, we evaluate the effect of the time constant (delay) of the input RF modulation due to klystron Q-value.

Funding Agency

This research is partly supported by Grant in Aid KAKENHI 20H01943 Japan-MEXT.

Footnotes

*M. Kuriki, "Energy Spread Compensation in Arbitrary Format Multi-Bunch Acceleration With Standing Wave and Traveling Wave Accelerators", in Proc. IPAC'18, Vancouver, Canada, Apr.-May 2018, pp. 307–310. doi:10.18429/JACoW-IPAC2018-MOPMF076

I have read and accept the Privacy Policy Statement

Yes

Primary author: KURIKI, Masao (Hiroshima University)

Co-authors: LIPTAK, Zachary (Hiroshima University); OMORI, Tsunehiko (High Energy Accelerator Research Organization); TAJINO, Hiroki (Hiroshima University); TAKAHASHI, Tohru (Hiroshima University); URAKAWA, Junji (High Energy Accelerator Research Organization); YOKOYA, Kaoru (High Energy Accelerator Research Organization)

Presenter: KURIKI, Masao (Hiroshima University)
Session Classification: Monday Poster Session

Track Classification: MC1: Colliders and other Particle Physics Accelerators: MC1.A03: Linear

Lepton Colliders