



Contribution ID: 2424 Contribution code: WEPL128

Type: **Poster Presentation**

## **Describing curved magnetic fields**

*Wednesday, 10 May 2023 16:30 (2 hours)*

Synchrotron light sources of the 4th generation typically use varying radius dipoles (also called longitudinal gradient bends). The longitudinal variation of these magnets needs to be properly modeled as the preconditions of the common local 2D approximation are only fulfilled at certain places.

We describe our concept of modelling such magnets using basis functions (approximately) fulfilling Maxwell Equations and compare these models to the magnetic fields calculated for various magnets foreseen for BESSY II or BESSY III.

### **Funding Agency**

### **Footnotes**

### **I have read and accept the Privacy Policy Statement**

Yes

**Primary author:** SCHNIZER, Pierre (Helmholtz-Zentrum Berlin für Materialien und Energie GmbH)

**Co-authors:** BENGTTSSON, Johan (Helmholtz-Zentrum Berlin); SULAIMAN KHAIL, Waheedullah (Helmholtz-Zentrum Berlin für Materialien und Energie GmbH)

**Presenter:** SCHNIZER, Pierre (Helmholtz-Zentrum Berlin für Materialien und Energie GmbH)

**Session Classification:** Wednesday Poster Session

**Track Classification:** MC5: Beam Dynamics and EM Fields: MC5.D03: Calculations of EM fields Theory and Code Developments