



Contribution ID: 18 Contribution code: MOP14

Type: Contributed Poster

## An X-Ray Regenerative Amplifier Free-Electron Laser Using Diamond Pinhole Mirrors

*Monday, 22 August 2022 17:10 (20 minutes)*

X-ray free-electron lasers (FELs) rely on SASE due to the lack of seed lasers and the difficulty in obtaining mirrors. Progress in diamond crystal Bragg mirrors enables the design of x-ray FEL oscillators. Regenerative amplifiers (RAFELs) are high gain/low-Q oscillators that out-couple most of the optical power. An x-ray RAFEL based on the LCLS-II at SLAC using a six-mirror resonator out-coupling 90% or more through a pinhole in the first downstream mirror is analyzed using the MINERVA and OPC to model the optical field within the undulator and the remainder of the resonator respectively.<sup>1</sup> Results show substantial powers at the fundamental (3.05 keV) and 3rd harmonic (9.15 keV).

1. H.P. Freund, P.J.M. van der Slot, and Yu. Shvyd'ko, "An X-Ray Regenerative Amplifier Free-Electron Laser Using Diamond Pinhole Mirrors," New J. Phys. 21, 093028 (2019).

\*This research was supported under DOE Contract DE-SC0018539. Work at Argonne National Laboratory was supported by the U.S. Department of Energy, Office of Science, under Contract No. DE-AC02-06CH11357. We also thank the University of New Mexico Center for Advanced Research Computing, supported in part by the National Science Foundation, for providing high performance computing resources used for this work.

### I have read and accept the Privacy Policy Statement

Yes

**Primary author:** FREUND, Henry (University of New Mexico)

**Co-authors:** VAN DER SLOT, Peter (University of Twente); SHVYD'KO, Yuri (Argonne National Laboratory)

**Presenter:** FREUND, Henry (University of New Mexico)

**Session Classification:** Monday posters

**Track Classification:** FEL oscillators & IR-FEL