IPAC'24 - 15th International Particle Accelerator Conference



Contribution ID: 2199 Contribution code: SUPC003

Type: Poster Presentation

Luminosity effects of heavy tailed beams with transverse x-y correlation

Sunday, 19 May 2024 16:00 (2 hours)

The luminosity of particle colliders depends, among other parameters, on the transverse profiles of the colliding beams. At the LHC at CERN, heavy-tailed transverse beam distributions are often observed, and the luminosity is modeled with the assumption that the x-y planes are independent in each beam. Analytical calculations show that the solution of inverting 1D heavy-tailed beam profiles to transverse 4D phase-space distributions is not unique. For the same transverse profile, the distributions can be dependent or independent in the transverse planes in absence of machine coupling. In this work, the effect of transverse x-y dependence of the 4D phase space distribution on the luminosity of a particle collider is evaluated for heavy-tailed q-Gaussian beams.

Footnotes

Funding Agency

Paper preparation format

LaTeX

Region represented

Europe

Primary author: LAMB, Elleanor (Ecole Polytechnique Fédérale de Lausanne)

Co-author: STERBINI, Guido (European Organization for Nuclear Research)

Presenter: LAMB, Elleanor (Ecole Polytechnique Fédérale de Lausanne)

Session Classification: Student Poster Session

Track Classification: MC1: Colliders and other Particle and Nuclear and Physics Accelerators: MC1.A01 Hadron Colliders