



Contribution ID: 2256 Contribution code: SUPG040

Type: Student Poster Presentation

Experimental study into the invasiveness of a gas jet beam profile monitor for charged particle beams

Sunday, May 19, 2024 2:00 PM (4 hours)

A minimally-invasive gas jet in-vivo dosimeter for medical treatment facilities is being developed at the Cockcroft Institute (UK), to provide full online (real time) monitoring with less frequent calibration. The monitor functions via a thin, low-density, gas jet curtain, intersecting with the beam. Online monitoring is crucial for hadron beams where acceptable dose tolerances are narrow, hence the beam should be perturbed only by the minimum amount necessary to acquire a signal. An experiment to determine the level of invasiveness of supersonic gas jet beam profile monitors was undertaken to quantify how much the gas jet perturbs the beam. This was accomplished using a 10 keV electron gun with a maximum current of $\sim 100 \mu\text{A}$, available in the DITAlab of the Cockcroft Institute. A scintillator screen and Faraday cup were placed in path of the beam to measure the change in beam size and current respectively. In the future, a simulation study using GEANT4 will be completed with the experimental beam parameters to verify the results. This contribution examines the perturbation experienced by a particle beam from a gas jet beam profile monitor, and quantifies the effect the jet has on the beam size and current.

Footnotes

Funding Agency

This work is supported by the STFC Grant ST/W000687/1, the HL-LHC-UK project funded by STFC and CERN and the STFC Cockcroft core grant No. ST/G008248/1.

Paper preparation format

LaTeX

Region represented

Europe

Author: BUTCHER, William (Cockcroft Institute)

Co-authors: Prof. WELSCH, Carsten (The University of Liverpool); ZHANG, Hao (Cockcroft Institute); PATEL, Milaan (The University of Liverpool); KUMAR, Narender (Cockcroft Institute); STRINGER, Oliver (Cockcroft Institute)

Presenter: STRINGER, Oliver (Cockcroft Institute)

Session Classification: Student Poster Session

Track Classification: MC6: Beam Instrumentation, Controls, Feedback, and Operational Aspects:
MC6.T03 Beam Diagnostics and Instrumentation