



Contribution ID: 2280 Contribution code: SUPC060

Type: **Poster Presentation**

Dark current in the LCLS-II Injector: characterization and mitigation strategies

Sunday, 19 May 2024 16:00 (2 hours)

In addition to the desired electron beam, RF photoinjectors such as the one in LCLS-II produce dark current via field emission. Left unchecked, the dark current can cause various operational issues in the accelerator, such as increased radiation, damage to accelerator components and diagnostics, and desorption of gases from vacuum chamber surfaces. In this contribution, we present measurements of the dark current in the LCLS-II injector, including imaging, current, and energy distributions of the observed dark current emitters. These measurements allow us to characterize each emitter in terms of the Fowler-Nordheim model of field emission, which in turn enables us to more accurately model the behavior of the dark current in the accelerator. Taking these results into account, we also present potential active and passive mitigation strategies.

Footnotes

Funding Agency

U.S. DOE Contract No. DE-AC02-76SF00515

Paper preparation format

LaTeX

Region represented

North America

Primary author: LITTLETON, Sean (Stanford University)

Co-authors: FISHER, Alan (SLAC National Accelerator Laboratory); DOWELL, David (SLAC National Accelerator Laboratory); ZHOU, Feng (SLAC National Accelerator Laboratory)

Presenter: LITTLETON, Sean (Stanford University)

Session Classification: Student Poster Session

Track Classification: MC2: Photon Sources and Electron Accelerators: MC2.T02 Electron Sources