



Contribution ID: **160** Contribution code: **MOBI02**

Type: **Invited Oral Presentation**

Three-dimensional theory of soliton-like superradiant free-electron lasers

Monday 19 August 2024 15:05 (35 minutes)

The soliton-like superradiant regime of free-electron lasers (FEL) offers a promising path towards ultrashort pulses, beyond the natural limit dictated by the bandwidth of the high-gain FEL instability. In this work we present a three-dimensional theory of the superradiant regime. Our work takes advantage of recent developments in non-linear FEL theory to provide a fully analytical description of soliton-like superradiance. Our theory proves the existence of a diffraction-dominated steady-state regime in which the superradiant peak power grows indefinitely while leaving the pulse duration and on-axis intensity almost unchanged. These results are in excellent agreement with three-dimensional simulations and are supported by recent experimental results at the Linac Coherent Light Source. This work advances non-linear FEL theory and provides a theoretical framework for the next generation of attosecond x-ray FELs.

Footnotes

Funding Agency

U.S. DOE, Office of Science, Office of Basic Energy Sciences under Contract No. DE-AC02-76SF00515, and the DOE BES Accelerator and Detector Research Program.

Primary author: ROBLES, River (Stanford University)

Co-authors: MARINELLI, Agostino (SLAC National Accelerator Laboratory); Dr GIANNESI, Luca (Istituto Nazionale di Fisica Nucleare)

Presenter: ROBLES, River (Stanford University)

Session Classification: FEL theory

Track Classification: FEL theory